

ORA and Family Historian
Using
Parent and Child
Auto Type Templates.

Paul Tanner-Tremaine

www.fhora.tantrem.com

November 2023

Intro.

Before we start, I must advise that I am a 'lumper' and use Generic Sources within Family Historian.

In August 2023 I had an idea of creating a Library Template which could account for the differing names that we encounter in the ORA Control Panel, for the same field that we would use in Family Historian. For example, Family Search had Event Date, Birth Date, Birth date, Date of Birth, all for Family Historian's Born field, or Death Date, Death date, Date of Decease, Date died, etc for the Died field in Family Historian. Ancestry and Find My Past also seem to have the same 'multi-definitions' for the same field. Same for Places, and the actual Event Type.

I knew I could do conditional assignments, etc, like the following:

```
<[?:Birth Date][=:mybirthdate:[Birth Date] | [?:Date of Birth][=:mybirthdate:Date of Birth]>
```

In non programmer speak this reads: If the ORA Control Panel has Birth Date, then assign it to a field called mybirthdate, **or** if the Control Panel has Date of Birth assign it to the field called mybirthdate.

I could then do something similar for Baptism dates, Marriage dates, Death and Burial dates, and then assign those results into just one common Event Date field. In typical old school programmer habit, I chose to use a z as the first letter of 'my intermediate fields', so I would end up with zEventType, zEventdate and zEventplace when I came to refer to those fields in the Citations I write later.

One thing led to another, and by October I had created just one 'generic master' Autotype with 8 different function buttons and a dozen or so Text Templates, covering most of the Birth, Baptism, Marriage, Death, Burial and Probates, that I could re-use in the different Services and Collections within that Service. I exported this 'generic master' Autotype, and imported into any new Collection that I needed to process with ORA to populate my Family Historian Records.

Mid November, John Cardinal released version 1.74 of ORA, and that included a new feature he called a Parent Collection. At first, I was a bit sceptical on its use, and had to re-read his overview document a few times to understand what he was doing. I tried and tested out his Parent Collection method or property, began to like what I saw, and found it was simple to implement, particularly as I had already built my 'generic master'. Now I think the concept is brilliant!

The rest of this document on my current (end Nov 2023) version of my Generic AutoType that I am using as the Parent for over 140 collections from 5 different services.

Table of Contents

Intro.....	2
ORA Parent Auto Type – flora.tantrem.com – Operational Steps.	5
ORA Parent Auto Type – flora.tantrem.com – Text Template definitions.....	8
READ ME FIRST	8
FHProject.....	8
Image Page URL.....	8
Image filename.....	8
=.....	9
var.Set Event Flags	9
var.Update Fact Data	9
var.Their Occupation.....	9
var.Their Residence.....	9
var.LastResidence	9
var.ProbateValue	9
var.Beneficiary	9
var.AgeAtDeath.....	9
var.Burialdate	9
ORA Parent Auto Type – flora.tantrem.com – AutoType Template definitions.....	10
Button A1.....	10
Button A2.....	11
Button A3.....	12
Button A4.....	13
Button A5.....	14
Button A6.....	14
Button A7.....	15
Button A8.....	15
ORA Parent Auto Type – flora.tantrem.com – Library Template definitions.	16
[lib.Add_FH_Fact:param1:param2:param3:param4].....	16
[lib.Add_FH_Fact_with_desc:param1:param2:param3:param4:param5].....	17
[lib.AddImageLinkToTFS]	18
[lib.AddRecordLinkToTFS].....	18
[lib.AdddatDeath].....	19
[lib.AgeCleanup].....	19
[lib.CheckEventType:var.zEventType]	20

[lib.DividerBar]	20
[lib.FormatDate:date].....	20
[lib.InitVars]	21
[lib.InitvarsANC] Ancestry.co.uk	22
[lib.InitvarsFAG] Findagrave.com.....	26
[lib.InitvarsFMP] Findmypast.co.uk	27
[lib.InitvarsFRG] FreeREG.org.uk	31
[lib.InitvarsFS] FamilySearch.org.....	33
[lib.PathToImageFilename:var.zEventType].....	35
[lib.SetAssessment]	37
[lib.SetFlag:var.zEventType].....	38
[lib.SetFocusonEvent:var.zEventType].....	39
[lib.SetKeywords:var.zEventType].....	40
[lib.WriteCitation:var.zEventType]	41
[lib.WriteCitationANC:var.zEventType]	42
[lib.WriteCitationFAG:var.zEventType].....	45
[lib.WriteCitationFMP:var.zEventType].....	46
[lib.WriteCitationFRG:var.zEventType].....	51
[lib.WriteCitationFS:var.zEventType]	53
[lib.WriteFactData:var.zEventType]	55
[lib.WriteImageToCitation:var.zEventType]	57
[lib.WriteSource:var.zSource]	59

ORA Parent Auto Type – fhora.tantrem.com – Operational Steps.

1. New Collection on Browser tab?
 - a. ORA Control Panel shows no Autotype buttons.
 - i. Click ORA Control Panel refresh button
 - ii. Go to ORA Settings
 - iii. Check Service and Collections are correct
 - iv. Click Choose Parent
 - v. Select Existing Parent : Generic Service – fhora.tantrem.com
 - vi. Go back to Subject collection on Browser Tab
 - vii. Click ORA Control Panel refresh button.
 - b. ORA Control Panel shows 8 Autotype buttons
2. Collection has been previously set up.
 - a. ORA Control Panel shows 8 Autotype buttons.
 - i. FHProject showing correct FH Project?
 1. No.
 - a. Add Text Template Heading FHProject
 - b. Template: [=:fhproject]:*your project name*
 - c. This will override the initial fhproject value *for this Service/Collection only.*
 2. Yes – continue...
 - ii. Image Page URL showing prompt ****Enter Image url****
 1. If browser page shows image available
 - a. Right Click on image icon and Open link in New Tab
 - b. Go to new tab with image, cursor in the url line, Control A to highlight and then copy the URL with Control C
 - c. Return to original browser tab and paste it into the Image Page url field (Alt click control V)
 2. If no Image available – ignore the field, even when you are prompted for it again.
 - iii. Image filename NOT showing the correct path to save the image.
 1. Edit the library template PathToImageFileName to suit your path and naming requirements.
 - iv. Image filename and path is correct.
 1. Copy the Image filename by clicking the copy icon.
 2. Go to the Image Tab on the browser, click to save the image, and paste the image path/filename and download the image to your pc/laptop system.

- v. Edit any other values on the Control Panel if necessary.
- 3. Make sure Family Historian is running and the cursor is on the Individual's Property Box Main Tab on the Individual's Name field.
- 4. We now have a 'Menu' of 8 Auto Type buttons, and their functionality is:
 - a. [Button A1](#) – Adds the Fact data and writes the Generic Source and Citation.
 - i. Prompts for the Image page url.
 - 1. If no image available, Click OK to bypass the entry.
 - 2. Input the Image URL and click OK to accept.
 - ii. Prompts to Set Event Flags
 - 1. Y to set or OK to bypass
 - iii. Prompts to Update Fact Data
 - 1. Y will create fact or overwrite existing fact data. Ok to bypass
 - iv. Prompts to show which Event Type template it will run. OK to accept, or Cancel to cancel the whole operation so you can investigate.
 - v. If accepted With the OK button, the autotype will run to completion.
 - b. [Button A2](#) – Optionally add a Residence fact
 - i. Prompts for the Image page url.
 - 1. If no image available, Click OK to bypass the entry.
 - 2. Input the Image URL and click OK to accept.
 - ii. Prompts for their residence.
 - 1. Input their complete residence address if known
 - 2. Click OK to accept the entry
 - iii. Autotype will run to completion.
 - c. [Button A3](#) – Optionally add an Occupation fact.
 - i. Prompts for the Image page url.
 - 1. If no image available, Click OK to bypass the entry.
 - 2. Input the Image URL and click OK to accept.
 - ii. Prompts for their residence.
 - 1. Input their complete residence address if known
 - 2. Click OK to accept the entry
 - iii. Prompts for their Occupation.
 - 1. Input their Occupation if known
 - 2. Click OK to accept the entry
 - iv. Autotype will run to completion.
 - d. [Button A4](#) – Optionally add a spouse.
 - i. Autotype will run, counting down the tabs to the spouse entry field and will populate it.
 - e. [Button A5](#) – Checks whether the Generic Source exists in the project
 - i. Autotype will run and checks the existence of the Sourcename.

- ii. If an existing Source exists in the display panel
 - 1. Click Cancel. (Button 1 will run and find the correct source.)
- iii. If no Source is shown, in the display panel
 - 1. Click Cancel.
 - 2. Click Button 6.
- f. [Button A6](#) – Creates the Generic Source in the project
 - i. Autotype will run and Add the Generic Source to the project
 - ii. Optionally stops for addition of Repository.
 - iii. Cancel if not required
 - iv. Close the Source page
 - v. Go back to the Individual's Property page, Name entry field.
- g. [Button A7](#) – Optionally add the image if not previously done.
 - i. Saved the image using the generates Image filename?
 - 1. No? Save the image if necessary
 - 2. Yes – continue...
 - ii. Move cursor to be on the Media tab page of the Source Citation created by the actions of Button 1.
 - iii. Run Button 7, which will add the image to your FH media collection.
 - iv. Run Button 8
- h. [Button A8](#) – Optionally update the media record.
 - i. Button 8 will update the media record with date, wherewithin, keywords, etc.
 - ii. Close the Source Citation when completed.

ORA Parent Auto Type – fhora.tantrem.com – Text Template definitions.

Currently there are 14 Text Templates in the Parent Autotype. **T1** through **T14**.

Button	Heading	Template
T1	READ ME FIRST	<pre> <\ Hover mouse over Button Numbers or Click the little black triangle above the Search Targets to see instructions.\<br/\> &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<Collection ID:\ \ [Collection ID]>\<br/\>\ \&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;Parent:\ \ fhora.tantrem.com\ \&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;AT version:\ \ v2.00\</span\>> </pre>
		This Displays some reminder information on the Control Panel in red on a blue background, as well as the current Collection ID, Parent Autotype, and version number.
T2	FHProject	<pre> # set the fhproject to my current project name. determines the path for images #<[fhproject] ** Enter FH project Name **> #[==:fhproject:master] #[==:fhproject:MyFamily] #[==:fhproject:Sandbox] <[fhproject] MyFamily> </pre>
		This field holds the current default Family Historian project name. It is used where I build up the paths to the Media, so images get saved under the correct folders.
T3	Image Page URL	<pre> # Ancestry <[?:o.Service=Ancestry] <[Image Page URL:split:?use:1] **Enter Image url **> > #Findmypast <[?:o.Service=Findmypast] <[Image Page URL:split:&parent:1] **Enter Image url **> > #FamilySearch <[?:o.Service=FamilySearch] <[Image Page URL:split:&pers:1] **Enter Image url **> > </pre>
		This field holds the URL to the Image page, and is used in the Citation as the link back to the image. The template checks which Service is active, and ‘tidies up’ the URL leaving off all the unnecessary browser return codes.
T4	Image filename	<pre> [lib.Initvars] [lib.PathToImageFilename:var.zEventType] </pre>
		Two Library Templates are called in this template. [lib.Initvars]

	initialises all the variables used, and determines which Event Type the Service Collection is being used on the current browser record URL. The [lib.PathToImageFilename] library element takes one parameter, the determined var.zEventType, which is passed in the [lib.PathToImageFilename:var.zEventType] Follow the links to the Library Templates for their descriptions.	
T5	=	[lib.DividerBar]
	Simple library template that creates the horizontal red line on the Control Panel	
T6	var.Set Event Flags	<[var.Set Event Flags] ** Set Event Flags y/n **>
	The prompt that asks whether to set the applicable Event Flag on my Property Box Flags tab page. A positive response of Y will run that process later in the autotype, any other key is taken as a negative response.	
T7	var.Update Fact Data	<[var.Update Fact Data] ** Update Fact Date and Place y/n **>
	Similar to the above, this prompt asks whether to Update or create the relevant fact with a positive response of Y. If there is any existing data for the Fact, it will be overwritten or a new Fact created and sourced. If any other key other than Y is entered, the prompt will move to that fact entry on the Property Box Main Tab, not overwrite the data, but will still write the Source and Citation. Good for sourcing current information where there is no source.	
T8	var.Their Occupation	<[var.Their Occupation] ** Enter Their Occupation from Image **>
	A prompt for the user to enter the individuals Occupation, which is stored in a persistent variable, for use in the autotypes and citations	
T9	var.Their Residence	<[var.Their Residence] ** Enter their Residence from Image **>
	Similar to T8, stores the Residence address in a persistent variable.	
T10	var.LastResidence	<[:Probate Date] <[:var.LastResidence] ** Enter Their Last Residence **> >
	Used during a Probate fact, to prompt for and record the deceased's last residence as indicated on the Probate Notice, and is output in the citation.	
T11	var.ProbateValue	<[:Probate Date] <[var.ProbateValue] ** Enter the Probate value from Image **> >
	Prompts for and records the deceased's probate value, if given in the probate notice, and written to the citation.	
T12	var.Beneficiary	<[:Probate Date] <[var.Beneficiary] ** Enter the Beneficiary(s) from Image **> >
	Prompts for and records the deceased's Beneficiaries or other persons, if given in the probate notice, and written to the citation.	
T13	var.AgeAtDeath	<[:var.AgeAtDeath] ** Enter the Age at Death **>
	Prompts for and records Age at death of the person of interest.	
T14	var.Burialdate	<[:var.Burialdate] ** Enter the Burial date **>
	Prompts for and records the burial date.	

ORA Parent Auto Type – fhora.tantrem.com – AutoType Template definitions.

Detail	Content
<p>Button A1</p>	<p>Reminder:</p> <ul style="list-style-type: none"> • FH cursor on Indi's Property box Name field • Updates the Event details • based on Generic Auto Type template Main button. <p>OPTIONALLY if there is an image, view the image and save its url to the transcription page, copy the filepath and then save the image. Use button 7 to add the image to citation.</p> <hr/> <p>Template:</p> <pre>{target=fh} # based on Generic Auto Type Template # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # start fh focus on Indi Name on Property page Main tab # 1.00 Changed 8 Aug 2023 Initial template # 2.00 changed 29 Nov 2023 Changed to be the Parent AutoType # {fast} #Check all text template inputs have been done <[:Image Page URL=**Enter Image url **][=:Image Page URL]> <[:var.Set Event Flags=** Set Event Flags y/n **][=:var.Set Event Flags]> <[:var.Update Fact Data=** Update Fact Date and Place y/n **][=:var.Update Fact Data]> # set assessment of record found [:Assessment_U_Q_S_P:S] # initialise the z variables [lib.Initvars] # #check the deduced Event Type and show event type [lib.CheckEventType:var.zEventType] # test whether to set flags <[:var.Set Event Flags=y][lib.SetFlag:var.zEventType] [lib.SetFocusonEvent:var.zEventType]> # test whether to write record specifics to property page <[:var.Update Fact Data=y][lib.WriteFactData:var.zEventType]> # write the Generic source and citation [lib.WriteSource:var.zSource] {tab} [lib.WriteCitation:var.zEventType]</pre>

Detail	Content
<p>Button A2</p>	<p>Reminder:</p> <ul style="list-style-type: none"> • FH cursor on Indi's Property box Name field • Adds a Residence fact <hr/> <p>Template:</p> <pre>{target=fh} # based on Generic Auto Type Template # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # start fh focus on Indi Name on Property page Main tab # 1.00 Changed 8 Aug 2023 Initial template # 1.01 updated 8 Aug 2023 re-write # 1.02 updated 20 Aug 2023 added overwrite questions # 2.00 updated 29 Nov 2023 part of Parent Autotype # set assessment of record found [:Assessment_U_Q_S_P:P] [=:var.Debug:1] # initialise the z variables [lib.Initvars] {fast} #Check all text template inputs have been done <[:Image Page URL=**Enter Image url **][=:Image Page URL]> <[:var.Their Residence=** Enter their Residence from Image **][=:var.Their Residence]> #residence fact add #add the residence fact event [lib.Add_FH_Fact:Residence:var.zEventdate::var.Their Residence] # write the Generic source and citation [lib.WriteSource:var.zSource] {tab} [lib.WriteCitation:var.zEventType] <[:var.Debug=0] ## do nothing ></pre>

Detail	Content
<p>Button A3</p>	<p>Reminder:</p> <ul style="list-style-type: none"> • FH cursor on Indi's Property box Name field • Add an Occupation fact <hr/> <p>Template:</p> <pre>{target=fh} # based on Generic Auto Type Template # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # start fh focus on Indi Name on Property page Main tab # 1.00 Changed 8 Aug 2023 Initial template # 1.01 updated 8 Aug 2023 re-write # 1.02 updated 20 Aug 2023 added overwrite questions # 2.00 updated 29 Nov 2023 part of Parent Autotype # set assessment of record found [=:Assessment_U_Q_S_P:P] [==:var.Debug:1] # initialise the z variables [lib.Initvars] #{fast} #Check all text template inputs have been done <[?:Image Page URL=**Enter Image url **][==:Image Page URL]> <[?:var.Their Residence=** Enter Their Residence from Image **][==:var.Their Residence]> <[?:var.Their Occupation=** Enter Their Occupation from Image **][==:var.Their Occupation]> #occupation fact add #add the occupation fact attribute [lib.Add_FH_Fact_with_desc:Occupation:var.Their Occupation:zEventdate::var.Their Residence] # write the Generic source and citation [lib.WriteSource:var.zSource] {tab} [lib.WriteCitation:var.zEventType] <[?:var.Debug=0] ## do nothing ></pre>

Detail	Content
<p>Button A4</p>	<p>Reminder:</p> <ul style="list-style-type: none"> • Add a spouse • Cursor on INDI's name field <hr/> <p>Template:</p> <pre>{target=fh} # # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # start fh focus on Indi Name on Property page Main tab # # 1.00 initial 10 September 2023 Initial template {fast} # tab down to the blank Add Spouse/Partner # count the number of tabs to get to the Add Spouse/Partner link # (yours may be different!) {tab*16} {enter}{down}{enter} [Spouse]</pre>

Detail	Content
Button A5	Reminder: <ul style="list-style-type: none"> • Test for existence of the Collection as a source.
	Template: <pre>{target=fh} # based on Generic Auto Type Template # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # start fh focus on Indi Name on Property page Main tab # checks if source exists if it does, press Cancel # if doesn't exist, use btn5 to create # 1.00 Changed 26 Aug 2023 Initial template # 1.01 changed 25 Nov 2023 use Collection ID or Source [lib.Initvars] {Ctrl+U}{Ctrl+I}{down}{enter}{Ctrl+D}[var.zSource]</pre>

Detail	Content
Button A6	Reminder: <ul style="list-style-type: none"> • Create the new generic source if not on file
	Template: <pre>{target=fh} # based on Generic Auto Type Template # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # start fh focus on Indi Name on Property page Main tab # checks if source exists if it does, press Cancel # if doesn't exist, use btn5 to create # 1.00 Changed 26 Aug 2023 Initial template [lib.Initvars] {Alt+F4} {Alt+AUU}{enter}{down}{enter} [var.zSource] # set generic type {tab} [var.zEventType] {tab*3} [Collection ID] {tab} [var.zPublisher] <[?o.Service=Ancestry][var.zRecordID]> {tab}{space}{down}{enter}{Ctrl+D}</pre>

Detail	Content
Button A7	Reminder: <ul style="list-style-type: none"> • Add image if there is one - Cursor must be on Citation Title.... • Save the image from the Service using the Image Filename text template.
	Template: <pre>{target=fh} # add image on citation media tab # author : Paul Tanner-Tremaine # http://www.fhora.tantrem.com # updated 21 Sep 2023 # [lib.Initvars] [lib.WriteImageToCitation:var.zEventType]</pre>

Detail	Content
Button A8	Reminder: <ul style="list-style-type: none"> • After the media has been added, click Edit, then run AutoType 2 to update the media items.
	Template: <pre>{target=fh} # updating image data on citation media tab # author : Paul Tanner-Tremaine # http://www.fhora.tantrem.com # updated 18 Jun 2023 # [lib.Initvars] {tab}[var.zEventdate]{tab} <[?:o.Service=Ancestry][Image Page URL:split:?use:1]> <[?:o.Service=Findmypast][Image Page URL:split:&parent:1]> <[?:o.Service=FamilySearch][Image Page URL:split:&pers:1]> {tab} [lib.SetKeywords:var.zEventType] {tab*6}{enter} {Alt+F4}</pre>

ORA Parent Auto Type – fhora.tantrem.com – Library Template definitions.

L1	[lib.Add_FH_Fact:param1:param2:param3:param4]	Called by
	<pre>[=:start:Add_FH_Fact] # Add_FH_Fact #author ; Paul Tanner-Tremaine # www.fhora.tantrem.com # v 1.01 last updated 24 July 2023 # # generic add a fact which does not have a variable description. Starting focus point on Individuals Main Property page. # template usage parameters : ie # usage : [lib.Add_FH_Fact:fact name: fact date:Address:Place] # {1} is the fact type, ie Occupation, Residence, etc # {2} is the fact Date field # {3} is the first part of the Place field # {4} is the second part of the fact Place field # change to Facts tab on properties page {Ctrl+tab} # search and insert the Fact Type from the list {Ctrl+I}{1}{enter} # complete the fact field entries... {tab} [{2}]{tab} <[?:Age][lib.AgeCleanup]> {tab} <[{3}],> [{4}]{tab} [=:end:Add_FH_Fact]</pre>	<p>A2</p>

L2	[lib.Add_FH_Fact_with_desc:param1:param2:param3:param4:param5]	Called by
	<pre> [=:start:Add_FH_Fact_with_desc] # Add_FH_Fact # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # v1.00 last updated 24 July 2023 # v1.01 updated 22 Aug 2023 # generic add a fact where the fact has a description field. # Starting focus point on Individuals Main Property page. # template usage parameters : ie # usage : [lib.Add_FH_Fact_with_desc:fact type:fact date:Address:Place] # {1} is the fact type, ie Occupation, etc # {2} is the value of the fact, ie labourer # {3} is the fact Date field # {4} is the first part of the Place field # {5} is the second part of the fact Place field # change to Facts tab on properties page {Ctrl+tab} # search and insert the Fact Type from the list {Ctrl+I}{1}{enter} # complete the fact field entries... {tab} [{2}]{tab} [{3}]{tab} <[?:Age][lib.AgeCleanup]> {tab} <[{4}],> [{5}]{tab} [=:end:Add_FH_Fact_with_desc] </pre>	A3

L3	[lib.AddImageLinkToTFS]	Called by
	<pre>[=:start:AddImageLinktoTFS] # AddImageLinktoTFS # Author : Paul Tanner-Tremaine # www.fhora.tantrem.com # v 1.01 last updated 5 Aug 2023 # # usage [lib.AddImageLinktoTFS:url:linkdesc] {fast} # move and select the web link {SHIFT+F10}{250}{UP*2}{RIGHT}{DOWN}{ENTER}{250} #write the URL [{1}] #write the hyperlink wording {tab} [{2}] [=:end:AddImageLinktoTFS]</pre>	L21

L4	[lib.AddRecordLinkToTFS]	Called by
	<pre>[=:start:AddRecordLinktoTFS] # AddrecordLinktoTFS # Author : Paul Tanner-Tremaine # www.fhora.tantrem.com # v1.01 last updated 5 Aug 2023 # # usage [lib.AddRecordLinktoTFS:url:zURLhrefdesc] {fast} # move and select the web link {SHIFT+F10}{250}{UP*2}{RIGHT}{DOWN}{ENTER}{250} #write the URL [{1}] #wite the hyperlink wording {tab} [{2}] {enter} [=:end:AddRecordLinktoTFS]</pre>	L21

L5	[lib.AddatDeath]	Called by
	<pre># return death age irrespective of field name # author : Paul Tanner-Tremaine # http://www.fhora.tantrem.com # last updated 20 Aug 2023 [=:start:AgeAtDeath] #usage : [lib.AgeAtDeath] # some Ancestry collections change the field name for Death Age # # if there is a field Age, use it, else ignore and try next line <[?:Age][Age]> <[?:Death Age][Death Age]> [=:end:AgeAtDeath]</pre>	

L6	[lib.AgeCleanup]	Called by
	<pre>[=:start:AgeCleanup] # clean up Age field to suit fh # author : Paul Tanner-Tremaine # http://www.fhora.tantrem.com # v 1.01 last updated 24 July 2023 #usage : [lib.AgeCleanup] # some census and other records give the Age in months/12 or even 4 mo # this cleans up the ages to conform with acceptable in Family Historian <[=:Agepart:[Age:split:/:2]]> < <[?:Agepart=12][Age:replace:/12: mns]> <[?:Agepart=Mo][Age:replace: Mo: mns]> <[Age]> > [=:end:AgeCleanup]</pre>	L1 L2

L7	[lib.CheckEventType:var.zEventType]	Called by
	<pre>[=:Start:CheckEventType] # Author : Paul Tanner-Tremaine # www.fhora.tantrem.com # v 1.01 created 9 Oct 2023 # v 1.02 updated 23 Oct 2023 added Christening check # # Check event type has resolved ok in Initvars - cancel if not # usage : [lib.CheckEventType:var.zEventType] # #EventType is [{1}] # add other sections as required < <[?:{1}=Baptism][=:var.Baptism - OK to run Click cancel if wrong]> <[?:{1}=Birth][=:var.Birth - OK to run Click cancel if wrong]> <[?:{1}=CivRegBirth][=:var.CivilBirth - OK to run Click cancel if wrong]> <[?:{1}=Christening][=:var.Christening - OK to run Click cancel if wrong]> <[?:{1}=Marriage][=:var.Marriage - OK to run Click cancel if wrong]> <[?:{1}=Marriage Banns][=:var.Marriage Banns - OK to run Click cancel if wrong]> <[?:{1}=CivRegMarriage][=:var.CivilMarriage - OK to run Click cancel if wrong]> <[?:{1}=Marriage Licence][=:var.MarriageLicence - OK to run Click cancel if wrong]> <[?:{1}=Death][=:var.Death - OK to run Click cancel if wrong]> <[?:{1}=CivRegDeath][=:var.CivilDeath - OK to run Click cancel if wrong]> <[?:{1}=Burial][=:var.Burial - OK to run Click cancel if wrong]> <[?:{1}=Probate][=:var.Probate - OK to run Click cancel if wrong]> > [=:End:CheckEventType]</pre>	A1

L8	[lib.DividerBar]	Called by
	<pre># creates a divider bar in the Control Panel # Call as: [lib.DividerBar] # Use as the first or last Text Template, and enter only an equal sign = in the Header field of the Template \<hr style='border: 3px solid Red; border-radius: 2px; margin:4px 15px 4px 15px'\></pre>	T5

L9	[lib.FormatDate:date]	
	<pre>#[lib.FormatDate:Date] #formats a date into dd Mmm YYYY foramt [{1}:date:d Mmm yyyy:Mmm yyyy:yyyy]</pre>	

L10	[lib.InitVars]	Called by
	<pre> [=:Start:initvars] # Initvars ***** This is a Work in Progress and still under test ***** # Author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # v 2.00 updated 29 Nov 2023 split initial version out to sub sections # # init my vars # substitution of irregular fields by Service # usage: [lib.InitVars] # in autotypes or other libraries use the var.zNamed fields # branch depending on service < ##### Ancestry < [?:o.Service=Ancestry] [lib.InitvarsANC] > ##### Findmypast < [?:o.Service=Findmypast] [lib.InitvarsFMP] > ##### Family Search <[?:o.Service=FamilySearch] [lib.InitvarsFS] > ##### FreeReg <[?:o.Service=FreeReg] [lib.InitvarsFRG] > ##### Find a Grave <[?:o.Service=Find A Grave] [lib.InitvarsFAG] > # end of service redirections > [=:End:initvars] </pre>	T4 A1 A2 A3 A5 A6 A7 A8

L11	[lib.InitvarsANC] Ancestry.co.uk	Called By
	<pre> [=:Start:InitvarsANC] # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # this template defines the initialisation of common variables # ensures you are using the same template of info each time # included by [lib.Initvars] # # v1.01 29 Nov 2023 initial split from Initvars # # constants <[?:Source.Title][==:var.zSource:[Source.Title]]> <[==:var.zCitation:[Source.Citation]]> [==:var.zImagehrefdesc:Ancestry Image link] [==:var.zURLhrefdesc:Ancestry Record link] [==:var.zRecURL:[URL]] [==:var.zRecordID:[Collection ID]] [==:var.zPublisher:Ancestry.co.uk - Collection #] <[?:Source.Part1][==:var.zRepository:[Source.Part1]]> <[?:Source.Part2][==:var.zRepoplace:[Source.Part2]]> <[?:Gender][==:var.zGender:[Gender]]> <[?:Sex][==:var.zGender:[Sex]]> <[?:Religion][==:var.zDenomination:[Religion]]> <[?:Parish as it appears][==:var.zParish:[Parish as it Appears]]> <[?:Parish][==:var.zMarriageplace:[Parish]]> <[?:Registration Date][==:var.zRegdate:[Registration Date]]> <[?:Quarter Date][==:var.zRegdate:[Quarter Date]]> # determine EventType the /Bann/ checks if Bann is in the expression < [?:Event Type=Banns][==:var.zEventType:Marriage Banns] [?:Event Type=Bann][==:var.zEventType:Marriage Banns] [?:Event Type=Bonds][==:var.zEventType:Marriage Contract] [?:Event Type=Marriage][==:var.zEventType:Marriage] [?:Record Type=Marriage][==:var.zEventType:Marriage] [?:Record Type/Bann/][==:var.zEventType:Marriage Banns] [?:Christening Place][==:var.zEventType:Christening] # v1 14 chgd sequence test of baptism and Birth [?:Baptism Place][==:var.zEventType:Baptism] [?:Birth Place][==:var.zEventType:Birth] [?:Marriage Place][==:var.zEventType:Marriage] [?:Burial Date][==:var.zEventType:Burial] [?:Burial Place][==:var.zEventType:Burial] #v1.12 added probate [?:Probate Date][==:var.zEventType:Probate] # civil registrations [?:Source.Title/Civil Registration Birth/][==:var.zEventType:CivRegBirth] [?:Source.Title/Civil Registration Marriage/][==:var.zEventType:CivRegMarriage] [?:Source.Title/Civil Registration Death/][==:var.zEventType:CivRegDeath] </pre>	L10

```

[==:var.zEventType:[Event Type]]
>

#----- Birth
<[?:var.zEventType=Birth]
[==:var.zBirthdate:[Birth Date]]
[==:var.zBirthplace:[Birth Place]]
[==:var.zEventdate:[var.zBirthdate]]
[==:var.zEventplace:[var.zBirthplace]]
>

#----- Civil Registration Birth
<[?:var.zEventType=CivRegBirth]
[==:var.zEventdate:[var.zRegdate]]
<[?:Registration Place][==:var.zRegplace:[Registration Place]]>
<[?:Registration district][==:var.zRegplace:[Registration district:append: RegDist,
:append:[Inferred County:append:, :append:England]]]>
[==:var.zEventplace:[var.zRegplace]]
>

#----- Baptism
<[?:var.zEventType=Baptism]
<[?:FHL Film][==:var.zFHLfilm:[FHL Film]]>
<[?:Birth Date][==:var.zBirthdate:[Birth Date]]>
<[?:Baptism Age][==:var.zBaptismage:[Baptism Age]]>
[==:var.zBaptismdate:[Baptism Date]]
[==:var.zBaptismplace:[Baptism Place]]
[==:var.zEventdate:[var.zBaptismdate]]
[==:var.zEventplace:[Baptism Place]]
>

#----- Christening
<[?:var.zEventType=Christening]
[==:var.zChristeningdate:[Christening Date]]
[==:var.zChristeningplace:[Christening Place]]
[==:var.zEventdate:[var.zChristeningdate]]
[==:var.zEventplace:[var.zChristeningplace]]
>

#----- Marriage
<[?:var.zEventType=Marriage]
<[?:Marriage Date][==:var.zMarriagedate:[Marriage Date]]>
<[?:Marriage or Bann Date][==:var.zMarriagedate:[Marriage or Bann Date]]>
<[?:Marriage Place][==:var.zMarriageplace:[Marriage Place]]>
<[?:Marriage or Bann Place][==:var.zMarriageplace:[Marriage or Bann Place]]>
<[?:Marriage Age][==:var.zMarriageage:[Marriage Age]]>
<[?:Marital Status][==:var.zMarriagestatus:[Marital Status]]>
<[?:Register type][==:var.zRegistertype:[Register type]]>
<[?:Register year range][==:var.zRegyears:[Register year range]]>
[==:var.zEventdate:[var.zMarriagedate]]
[==:var.zEventplace:[var.zMarriageplace]]
>

#----- Marriage Banns
<[?:var.zEventType=Marriage Banns]
<[?:Marriage or Bann Date][==:var.zMarriagedate:[Marriage or Bann Date]]>

```

```

<[?:Marriage Banns Date][==:var.zMarriagedate:[Marriage Banns Date]]>
<[?:Marriage or Bann Date][==:var.zMarriagedate:[Marriage or Bann Date]]>
<[?:Event Date][==:var.zMarriagedate:[Event Date]]>
<[?:Marriage Banns Place][==:var.zMarriageplace:[Marriage Banns Place]]>
<[?:Marriage Place][==:var.zMarriageplace:[Marriage Place]]>
[==:var.zEventdate:[var.zMarriagedate]]
[==:var.zEventplace:[var.zMarriageplace]]
>
#----- Marriage Contract
<[?:var.zEventType=Marriage Contract]
<[?:Marriage Date][==:var.zMarriagedate:[Marriage Date]]>
[==:var.zEventdate:[Event Date]]<[==:var.zMarriageplace:[Marriage Place]]>

[==:var.zEventdate:[var.zMarriagedate]]
[==:var.zEventplace:[var.zMarriageplace]]
>
#----- Marriage Licence
<[?:var.zEventType=Marriage Licence]
<[?:Marriage Date][==:var.zMarriagedate:[Marriage Date]]>
#[==:var.zEventdate:[Event Date]]
<[==:var.zMarriageplace:[Marriage Place]]>
[==:var.zEventdate:[var.zMarriagedate]]
[==:var.zEventplace:[var.zMarriageplace]]
>
#----- Civil Registration Marriage
<[?:var.zEventType=CivRegMarriage]
[==:var.zRegplace:[Registration district:append: RegDist, :append:[Inferred
County:append:, :append:England]]]
[==:var.zEventdate:[var.zRegdate]]
[==:var.zEventplace:[var.zRegplace]]
>
#----- Death
<[?:var.zEventType=Death]
[==:var.zDeathdate:[Death Date]]
[==:var.zDeathplace:[Death Place]]
[==:var.zEventdate:[var.zDeathdate]]
[==:var.zEventplace:[var.zDeathplace]]
>
#----- Civil Registration Death
<[?:var.zEventType=CivRegDeath]
[==:var.zRegplace:[Death Registration Place]]
[==:var.zEventdate:[Registration Date]]
[==:var.zEventplace:[var.zRegplace]]
>
#----- Burial
<[?:var.zEventType=Burial]
[==:var.zBurialdate:[Burial Date]]
[==:var.zBurialplace:[Burial Place]]

[==:var.zEventdate:[var.zBurialdate]]
[==:var.zEventplace:[var.zBurialplace]]
>

```


	<pre>#----- Probate # v1.12 added probate section <[?:var.zEventType=Probate] [==:var.zProbatedate:[Probate Date]] [==:var.zProbateplace:[Probate Registry]] [==:var.zEventdate:[var.zProbatedate]] [==:var.zEventplace:[var.zProbateplace]] > # end of Ancestry [=:End:InitvarsANC]</pre>	

L12	[lib.InitvarsFAG] Findagrave.com	Called By
	<pre> [=:Start:InitvarsFAG] # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # this template defines the ititialisation of common variables # ensures you are using the same template of info each time # included by [lib.Initvars] # # v1.01 29 Nov 2023 initial split from Initvars # determine eventtype <[?:Burial Place][==:var.zEventType:Burial]> # constants [==:var.zService:[o.Service]] [==:var.zSource:[Source.Title]] [==:var.zCitation:[Source.Citation]] [==:var.zURLhrefdesc:Find a Grave Record link] [==:var.zRecURL:[URL]] [==:var.zPublisher:Findagrave.com] [==:var.zRecordID:[Record ID]] # variables <[?:State][==:var.zCounty:[County]]> <[?:Country][==:var.zCountry:[Country]]> #----- Burial # memorial <[?:var.zEventType=Burial] [==:var.zDeathdate:[Death Date]] <[?:Cemetery Name][==:var.zCemetery:[Cemetery Name]]> #<[?:Cemetery Name][==:var.zChurch:[Cemetery Name]]> <[?:Burial Place][==:var.zBurialplace:[var.zCemetery:append:, :append:[City:append:, :append:[var.zCounty:append:, :append:[var.zCountry]]]]> [==:var.zEventdate:[var.zDeathdate]] [==:var.zEventplace:[var.zBurialplace]] > ## end of findagrave [=:End:InitvarsFAG] </pre>	L10

L13	[lib.InitvarsFMP] Findmypast.co.uk	Called by
	<pre>[=:Start:InitvarsFMP] # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # this template defines the initialisation of common variables # ensures you are using the same template of info each time # included by [lib.Initvars] # # v1.01 29 Nov 2023 initial split from Initvars # # constants [==:var.zSource:[Record Set]] [==:var.zCitation:[Source.Citation]] [==:var.zImagehrefdesc:FindMyPast Image link] [==:var.zURLhrefdesc:FindMyPast Record link] [==:var.zRecURL:[URL]] [==:var.zPublisher:Findmypast.co.uk] [==:var.zDenomination:[Denomination]] [==:var.zRegyears:[Register year range]] #set other variables <[?:Gender][==:var.zGender:[Gender]]> <[?:Sex][==:var.zGender:[Sex]]> <[?:Description/Cemetery/][=:var.zCemetery:[Description]]> #<[?:Place][==:var.zTown:[Place]]> <[?:County][==:var.zCounty:[County]] [==:var.zCounty:[Record set:split: :1]]> <<[?:Country][==:var.zCountry:[Country]]> <[==:var.zCountry:England]>> # determine EventType < <[?:Subcategory=Civil Births][==:var.zEventType:CivRegBirth]> <[?:Subcategory/Parish Baptisms/] < <[?:Event Type=Christening][==:var.zEventType:Christening]> <[==:var.zEventType:Baptism]> > > <[?:Subcategory/Parish Marriages/] < <[?:Banns date][==:var.zEventType:Marriage Banns]> <[?:Record Set/Marriage Licences/][==:var.zEventType:Marriage Licence]> [==:var.zEventType:Marriage] > > <[?:Subcategory=Civil Marriage & Divorce][==:var.zEventType:CivRegMarriage]> <<[?:Record set/Government Probate/][==:var.zEventType:Probate]> <[?:Subcategory=Civil Deaths & Burials][==:var.zEventType:CivRegDeath]>> <[?:Subcategory/Parish Burials/][==:var.zEventType:Burial]> ></pre>	L10

```

#----- Birth
<[?:var.zEventType=Birth]
[==:var.zBirthdate:[Birth Date]]
[==:var.zBirthplace:[Birth Place]]
[==:var.zEventdate:[var.zBirthdate]]
[==:var.zEventplace:[var.zBirthplace]]
>
#----- Civil Reg Birth
<[?:var.zEventType=CivRegBirth]
<[==:var.zRegdate:[Birth Date]]|[==:var.zRegdate:[Birth Date]]>
<[?:District][==:var.zRegplace:[District:append: RegDist, :append:[County:append:,
:append:[Country]]]]>
<[?:Organisation][==:var.zRegplace:[Place:append:, :append:[Country]]]>
[==:var.zEventdate:[var.zRegdate]]
[==:var.zEventplace:[var.zRegplace]]
>
#----- Baptism
<[?:var.zEventType=Baptism]
<[==:var.zBirthdate:[Birth Date]]>
<[?:Baptism Date][==:var.zBaptismdate:[Baptism Date]]>
<[?:Baptism date][==:var.zBaptismdate:[Baptism date]]>
<[?:Baptism Day][==:var.zBaptismdate:[Baptism Day:append: :append:[Baptism
Month:append: :append:[Baptism Year]]]]>
<
<[?:Baptism place][==:var.zBaptismplace:[Baptism place:append:,
:append:[var.zCounty:append:, :append:[var.zCountry]]]]>|
<[?:Place][==:var.zBaptismplace:[Place:append:, :append:[var.zCounty:append:,
:append:[var.zCountry]]]]>|
<[?:var.zTown][==:var.zBaptismplace:[Parish:append:, :append:[var.zTown:append:,
:append:[var.zCounty:append:, :append:[var.zCountry]]]]]]>|
<[?:Parish][==:var.zBaptismplace:[Parish:append:, :append:[var.zCounty:append:,
:append:[var.zCountry]]]]>|
<[?:Church][==:var.zBaptismplace:[Church:append:, :append:[var.zCounty:append:,
:append:[var.zCountry]]]]>
>
[==:var.zEventdate:[var.zBaptismdate]]
[==:var.zEventplace:[var.zBaptismplace]]
>
#----- Christening
<[?:var.zEventType=Christening]
[==:var.zEventdate:[Year]]
[==:var.zEventplace:[var.zCounty:append:, :append:[var.zCountry]]]]
>
#----- Marriage
<[?:var.zEventType=Marriage]
<<[?:Marriage date][==:var.zMarriagedate:[Marriage date]]>|
<[?:Event date][==:var.zMarriagedate:[Event date]]>>
<
<[?:Marriage place][==:var.zMarriageplace:[Marriage place:append:,
:append:[var.zCounty:append:, :append:[var.zCountry]]]]>|
# added Residence for Hampshire Marriages with no place!
<[?:var.zCounty=Hampshire]

```

```

<[?:Residence][==:var.zMarriageplace:[Residence]]>
<[?:County][==:var.zMarriageplace:[var.zCounty:append:, :append:[var.zCountry]]]>
>|
<[?:Place][==:var.zMarriageplace:[Place:append:, :append:[var.zCounty:append:,
:append:[var.zCountry]]]]>|
<[?:District][==:var.zMarriageplace:[District:append: RegDist,
:append:[var.zCounty:append:, :append:[var.zCountry]]]]>|
<[?:Parish][==:var.zMarriageplace:[Parish:append:, :append:[var.zCounty:append:,
:append:[var.zCountry]]]]>
>
<[?:By licence or banns][==:var.zLicencebanns:[By licence or banns]]>
<[?:Licence or banns][==:var.zLicencebanns:[Licence or banns]]>
<[?:Groom's place parish][==:var.zGparish:[Groom's place parish]]>
<[?:Groom's parish][==:var.zGparish:[Groom's parish]]>
<[?:Bride's place parish][==:var.zBparish:[Bride's place parish]]>
<[?:Bride's parish][==:var.zBparish:[Bride's parish]]>
<[?:Register type][==:var.zRegistertype:[Register type]]>
<[?:Register year range][==:var.zRegyears:[Register year range]]>
[==:var.zEventdate:[var.zMarriagedate]]
[==:var.zEventplace:[var.zMarriageplace]]
>
#----- Marriage Banns
<[?:var.zEventType=Marriage Banns]
<[?:Banns date][==:var.zBannsdate:[Banns date]]|
[?:Marriage date][==:var.zBannsdate:[Marriage date]]>
<[?:Parish][==:var.zBannsplace:[Parish:append:, :append:[var.zCounty:append:,
:append:[var.zCountry]]]]>
<[?:Place][==:var.zBannsplace:[Place:append:, :append:[var.zCounty:append:,
:append:[var.zCountry]]]]>
<[?:Marriage Place][==:var.zBannsplace:[Marriage place:append:,
:append:[var.zCounty:append:, :append:[var.zCountry]]]]>
<[?:Groom's residence][==:var.zGparish:[Groom's residence]]>
<[?:Groom's parish][==:var.zGparish:[Groom's parish]]>
<[?:Residence][==:var.zGparish:[Groom's parish]]>
<[?:Bride's residence][==:var.zBparish:[Bride's residence]]>
<[?:Spouse's residence][==:var.zBparish:[Spouse's residence]]>
<[?:Bride's parish][==:var.zBparish:[Bride's parish]]>
[==:var.zEventdate:[var.zBannsdate]]
[==:var.zEventplace:[var.zBannsplace]]
>
#----- Marriage Licence
<[?:var.zEventType=Marriage Licence]
<[==:var.zMarriagedate:[Licence date]]>
<[?:Marriage place][==:var.zMarriageplace:[Marriage place:append:,
:append:[var.zCounty:append:, :append:[var.zCountry]]]]>
<[?:Place][==:var.zMarriageplace:[Place:append:, :append:[var.zCounty:append:,
:append:[var.zCountry]]]]>
<[?:By licence or banns][==:var.zLicencebanns:[By licence or banns]]>
<[?:Licence or banns][==:var.zLicencebanns:[Licence or banns]]>
<[?:Groom's place parish][==:var.zGparish:[Groom's place parish]]>
<[?:Bride's place parish][==:var.zBparish:[Bride's place parish]]>
[==:var.zEventdate:[var.zMarriagedate]]

```

```

[==:var.zEventplace:[var.zMarriageplace]]
>
#----- Civil Reg Marriage
<[?:var.zEventType=CivRegMarriage]
[==:var.zRegdate:[Marriage Date]]
[==:var.zRegplace:[District:append: RegDist, :append:[County:append:,
:append:[Country]]]]
[==:var.zEventdate:[var.zRegdate]]
[==:var.zEventplace:[var.zRegplace]]
>
#----- Death
<[?:var.zEventType=Death]
[==:var.zRegdate:[Death Date]]
[==:var.zRegplace:[District:append: RegDist, :append:[County:append:,
:append:[Country]]]]
[==:var.zEventdate:[var.zRegdate]]
[==:var.zEventplace:[var.zRegplace]]

>
#----- Civil Reg Death
<[?:var.zEventType=CivRegDeath]
[==:var.zRegdate:[Death Date]]
[==:var.zRegplace:[District:append: RegDist, :append:[County:append:,
:append:[Country]]]]

[==:var.zEventdate:[var.zRegdate]]
[==:var.zEventplace:[var.zRegplace]]
>
#----- Burial
<[?:var.zEventType=Burial]
<[?:Burial Date][==:var.zBurialdate:[Burial Date]]>
<[?:Burial Day][==:var.zBurialdate:[Burial Day:append: :append:[Burial Month:append:
:append:[Burial Year]]]]>
<[?:Place][==:var.zBurialplace:[Place:append:, :append:[var.zCounty:append:,
:append:[var.zCountry]]]]>
<[?:Burial Place][==:var.zBurialplace:[Burial Place:append:,
:append:[var.zCounty:append:, :append:[var.zCountry]]]]>
[==:var.zEventdate:[var.zBurialdate]]
[==:var.zEventplace:[var.zBurialplace]]
>
#----- Probate
# v1.12 added probate section
<[?:var.zEventType=Probate]
[==:var.zProbatedate:[Probate Date]]
[==:var.zProbateplace:[Probate Registry:append:, :append:[var.zCountry]]]
[==:var.zEventdate:[var.zProbatedate]]
[==:var.zEventplace:[var.zProbateplace]]
>

## end of findmypast
[=:End:InitvarsFMP]

```

L14	[lib.InitvarsFRG] FreeREG.org.uk	Called by
	<pre> [=:Start:InitvarsFAG] # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # this template defines the initialisation of common variables # ensures you are using the same template of info each time # included by [lib.Initvars] # # v1.01 29 Nov 2023 initial split from Initvars # # determine eventtype < [?:Baptism date][==:var.zEventType:Baptism] [?:Marriage date][==:var.zEventType:Marriage] [?:Burial date][==:var.zEventType:Burial] > #constants [==:var.zService:[o.Service]] [==:var.zSource:[var.zService:append: :append:[var.zEventType]]] #[==:var.zCitation:[Source.Citation]] [==:var.zURLhrefdesc:FreeReg Record link] [==:var.zRecURL:[URL]] [==:var.zPublisher:FreeReg.org.uk] [==:var.zRecordID:[Record ID]] [==:var.zRegistertype:[Register type]] <[?:Gender][==:var.zGender:[Gender]]> <[?:Sex][==:var.zGender:[Sex]]> <[?:County][==:var.zCounty:[County]]> <[?:Place][==:var.zPlace:[Place]]> [==:var.zCountry:England] #----- Baptism # baptism <[?:var.zEventType=Baptism] [==:var.zBaptismdate:[Baptism date]] <<[?:Person sex=M][==:var.zGender:Male]> <[?:Person sex=F][==:var.zGender:Female]>> <[?:Church name][==:var.zChurch:[Church name]]> <[?:Place][==:var.zBaptismplace:[Place:append:, :append:[var.zCounty:append:, :append:[var.zCountry]]]]> [==:var.zEventdate:[var.zBaptismdate]] [==:var.zEventplace:[var.zBaptismplace]] > #----- Marriage # marriage <[?:var.zEventType=Marriage] [==:var.zMarriagedate:[Marriage date]] <[?:Church name][==:var.zChurch:[Church name]]> </pre>	L10

	<pre> <[?:Place][==:var.zMarriageplace:[Place:append:, :append:[var.zCounty:append:, :append:[var.zCountry]]]]> <[?:Notes/Banns/][==:var.zLicencebanns:[Notes]]> #[?:Groom's place parish][==:var.zGparish:[Groom's place parish]]> #[?:Groom's parish][==:var.zGparish:[Groom's parish]]> #[?:Bride's place parish][==:var.zBparish:[Bride's place parish]]> #[?:Bride's parish][==:var.zBparish:[Bride's parish]]> #[?:Register type][==:var.zRegistertype:[Register type]]> #[?:Register year range][==:var.zRegyears:[Register year range]]> [==:var.zEventdate:[var.zMarriagedate]] [==:var.zEventplace:[var.zMarriageplace]] > #----- Burial # burial <[?:var.zEventType=Burial] [==:var.zBurialdate:[Burial date]] <[?:Church name][==:var.zChurch:[Church name]]> <[?:Place][==:var.zBurialplace:[Place:append:, :append:[var.zCounty:append:, :append:[var.zCountry]]]]> [==:var.zEventdate:[var.zBurialdate]] [==:var.zEventplace:[var.zBurialplace]] > ## end of freereg [=:End:InitvarsFAG] </pre>	

L15	[lib.InitvarsFS] FamilySearch.org	Called by
	<pre> [=:Start:InitvarsFS] # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # this template defines the initialisation of common variables # ensures you are using the same template of info each time # included by [lib.Initvars] # # v1.01 29 Nov 2023 initial split from Initvars # # determine eventtype <[?:Source.Collection:split: :2=Marriages,][==:var.zEventType:Marriage]> <[?:Event Type][==:var.zEventType:[Event Type]]> #constants [==:var.zSource:[Source.Collection]] [==:var.zCitation:[Source.Citation]] [==:var.zImagehrefdesc:FamilySearch Image link] [==:var.zURLhrefdesc:FamilySearch Record link] [==:var.zRecURL:[URL]] [==:var.zPublisher:Familysearch.org] #variables <[?:Denomination][==:var.zDenomination:[Denomination]]> <[?:Religion][==:var.zDenomination:[Religion]]> <[?:Gender][==:var.zGender:[Gender]]> <[?:Sex][==:var.zGender:[Sex]]> #branch by eventtype #----- Birth <[?:var.zEventType=Birth] <[?:Birth Date][==:var.zBirthdate:[Birth Date]]> <[?:Event Date][==:var.zBirthdate:[Event Date]]> <[?:Birth Place][==:var.zBirthplace:[Birth Place]]> <[?:Event Place][==:var.zBirthplace:[Event Place]]> [==:var.zEventdate:[var.zBirthdate]] [==:var.zEventplace:[var.zBirthplace]] > #----- Baptism <[?:var.zEventType=Baptism] <[?:Birth Date][==:var.zBirthdate:[Birth Date]]> <[?:Baptism Date][==:var.zBaptismdate:[Baptism Date]]> <[?:Event Date][==:var.zBaptismdate:[Event Date]]> <[?:Baptism Place][==:var.zBaptismplace:[Baptism Place]]> <[?:Event Place][==:var.zBaptismplace:[Event Place]]> [==:var.zEventdate:[var.zBaptismdate]] [==:var.zEventplace:[var.zBaptismplace]] > #----- Christening # added 19 Sep 2023 Christening event data </pre>	L10

```

<[?:var.zEventType=Christening]
<[?:Christening Date][==:var.zChristeningdate:[Christening Date]]>
<[?:Event Date][==:var.zChristeningdate:[Event Date]]>
<[?:Christening Place][==:var.zChristeningplace:[Christening Place]]>
<[?:Event Place][==:var.zChristeningplace:[Event Place]]>
<[?:Religion][==:var.zDenomination:[Religion]]>
<[?:Denomination][==:var.zDenomination:[Denomination]]>
[==:var.zEventdate:[var.zChristeningdate]]
[==:var.zEventplace:[var.zChristeningplace]]
>
#----- Marriage
<[?:var.zEventType=Marriage]
<[?:Marriage Date][==:var.zMarriagedate:[Marriage Date]]>
<[?:Event Date][==:var.zMarriagedate:[Event Date]]>
<[?:Marriage Place][==:var.zMarriageplace:[Marriage Place]]>
<[?:Event Place][==:var.zMarriageplace:[Event Place]]>
<[?:Religion][==:var.zDenomination:[Religion]]>
<[?:Denomination][==:var.zDenomination:[Denomination]]>
[==:var.zEventdate:[var.zMarriagedate]]
[==:var.zEventplace:[var.zMarriageplace]]
>
#----- Death
<[?:var.zEventType=Death]
<[?:Death Date][==:var.zDeathdate:[Death Date]]>
<[?:Event Date][==:var.zDeathdate:[Event Date]]>
<[?:Death Place][==:var.zDeathplace:[Death Place]]>
<[?:Event Place][==:var.zDeathplace:[Event Place]]>
[==:var.zEventdate:[var.zDeathdate]]
[==:var.zEventplace:[var.zDeathplace]]
>
#----- Burial
<[?:Event Type=Burial]
<[?:Burial Date][==:zBurialdate:[Burial Date]]>
<[?:Event Date][==:zBurialdate:[Event Date]]>
<[?:Burial Place][==:zBurialplace:[Burial Place]]>
<[?:Event Place][==:zBurialplace:[Event Place]]>
[==:var.zEventdate:[var.zBurialdate]]
[==:var.zEventplace:[var.zBurialplace]]
>
#----- Probate
<[?:var.zEventType=Probate]
<[?:Death Date][==:var.zDeathdate:[Death Date]]>
<[?:Death Place][==:var.zDeathplace:[Death Place]]>
<[?:Event Date][==:var.zProbatedate:[Event Date]]>
<[?:Event Place][==:var.zProbateplace:[Event Place]]>
[==:var.zEventdate:[var.zDeathdate]]
[==:var.zEventplace:[var.zDeathplace]]
>
## end of familysearch
[=:End:InitvarsFS]

```

L16	[lib.PathToImageFilename:var.zEventType]	Called by
	<pre> [=:Start:PathToImageFileName] # this builds the image filename and where it is/will be stored # should only save the image once for the person of interest. # # Author : Paul Tanner-Tremaine # www.fhora.tantrem.com # v 1.00 created 18 Aug 2023 # v 1.01 updated 21 Sep 2023 fixed the spacings and slashes and added the year # v 1.02 updated 29 Sep 2023 test for name fields.. # v 1.03 updated 16 Oct 2023 changed line var.pfolder to [fhproject] instead of MyFamily and var.p2 and var.p5 categories to suit birth death and probate # v 1.04 updated 18 Oct 2023 fixed to allow Marriage Banns # usage [lib.PathToImageFileName:var.zEventType] # my filename is typically in the format of: # E:\My Drive\Family Historian Projects\MyFamily\MyFamily.fh_data\Media\baptisms\Munckton, Effie May 1896 bapt.jpg # # build the path with the static elements [=:var.path:E:\My Drive\Family Historian Projects\] [=:var.pfolder:[fhproject]] [=:var.dfolder:.fh_data] [=:var.mfolder:\Media\] [=:var.zfullpath:[var.path:append:[var.pfolder:append:\]:append:[var.pfolder:append:[va r.dfolder:append:[var.mfolder]]]]] # set standard path [=:var.p1:[var.zfullpath]] #set final folder <[?:{1}=Baptism][=:var.p2:baptisms\]> <[?:{1}=Christening][=:var.p2:baptisms\]> <[?:{1}=Birth][=:var.p2:birthcerts\]> <[?:{1}=CivRegBirth][=:var.p2:birthcerts\]> <[?:{1}=Marriage][=:var.p2:marriages\]> <[?:{1}=Marriage Banns][=:var.p2:marriages\]> <[?:{1}=Marriage Contract][=:var.p2:marriages\]> <[?:{1}=CivRegMarriage][=:var.p2:marriages\]> <[?:{1}=Death][=:var.p2:deathcerts\]> <[?:{1}=CivRegDeath][=:var.p2:deathcerts\]> <[?:{1}=Burial][=:var.p2:burials\]> <[?:{1}=Probate][=:var.p2:probates\]> #set the name format < <<[?:Name][=:zGfullname:[Name:nameSurname:append:, :append:[Name:nameGiven]]]> <[?:Last name][=:zGfullname:[Last name:append:, :append:[First name(s)]]]>> [=:var.p3:[zGfullname:append: :]] </pre>	<p>T4</p>

```

#if a civil marriage we may not have the spouse listed
<
[?:{1}=CivRegMarriage]
>
|
#if a marriage add the bride
<
[?:{1}/Marriage/]
<
<[?:Spouse][=:zBfullname:[Spouse:append: :]]>|
<[?:Spouse's Name][=:zBfullname:[Spouse's Name:append: :]]>|
<[?:Spouse's last name][=:zBfullname:[Spouse's first name(s):append:
:append:[Spouse's last name:append: :]]]>
>
[=:var.p3:[zGfullname:append: and :append:[zBfullname]]]
>

# end of set name
>

# set year
[=:var.p4:[var.zEventdate:dateYear]]

# set category
<[?:{1}=Baptism][=var.p5: bapt]>
<[?:{1}=Christening][=var.p5: bapt]>
<[?:{1}=Birth][=var.p5: birth]>
<[?:{1}=CivRegBirth][=var.p5: birth]>
<[?:{1}=Marriage][=var.p5: marr]>
<[?:{1}=Marriage Banns][=var.p5: banns]>
<[?:{1}=Marriage Contract][=var.p5: cont]>
<[?:{1}=CivRegMarriage][=var.p5: marr]>
<[?:{1}=Death][=var.p5: death]>
<[?:{1}=CivRegDeath][=var.p5: death]>
<[?:{1}=Burial][=var.p5: burial]>
<[?:{1}=Probate][=var.p5: probate]>

#add filetype
[=:var.p6:.jpg]
# concatenate all the sections and output it
[var.p1][var.p2][var.p3][var.p4][var.p5][var.p6]

[=:end:PathToImageFileName]

```

L17	[lib.SetAssessment]	Called by
	<pre> [=:Start:SetAssessment] # author : Paul Tanner-Tremaine # http://www.fhora.tantrem.com # updated Oct 2021 # usage : [lib.SetAssessment] # assessment value either entered or preset # Enter the assessment Check. #Unreliable U <[?:Assessment_U_Q_S_P=U]{down*2}> #Questionable Q <[?:Assessment_U_Q_S_P=Q]{down*3}> #Secondary S <[?:Assessment_U_Q_S_P=S]{down*4}> #Primary P <[?:Assessment_U_Q_S_P=P]{down*5}> [=:End:SetAssessment] </pre>	L29

L18	[lib.SetFlag:var.zEventType]	Called by
	<pre> [=:Start:SetFlag] # # author: Paul tanner-Tremaine # www.fhora.tantrem.com # v 1.00 Aug 2023 # new version of SetEventFlag driven by given parameter var.zEventType # this sets the relevant flag on MY Flags tab on the Property Box # my PropBox tabs are : Main, Facts, Flags, Census, Notes, Media, All # my sequence of events on my Flags tab are: # 0 thru 10 census records # 11, 12 Living and Private # 13, 14 Birth , Baptism # 15, 16 Marriage , Divorce # 17, 18 Death, Burial # 18, 20 GROBirth, GRODeath # # author : Paul Tanner-Tremaine # http://www.fhora.tantrem.com # v1.00 updated 24 Nov 2022 # v1.01 updated 08 Aug 2023 - changed to parameter input # # usage : [lib.SetFlag:parameter] # set the flag for the event{fast} # advance to Flags tab {Ctrl+tab}{Ctrl+tab} {fast} < <[?:{1}=Birth]{tab*13}{space}> <[?:{1}=CivRegBirth]{tab*13}{space}> <[?:{1}=Baptism]{tab*14}{space}> <[?:{1}=Marriage]{tab*15}{space}> <[?:{1}=Marriage Banns]{tab*15}{space}> <[?:{1}=Marriage Licence]{tab*15}{space}> <[?:{1}=Marriage Contract]{tab*15}{space}> <[?:{1}=CivRegMarriage Contract]{tab*15}{space}> <[?:{1}=Divorce]{tab*16}{space}> <[?:{1}=Death]{tab*17}{space}> <[?:{1}=CivRegDeath]{tab*17}{space}> <[?:{1}=Burial]{tab*18}{space}> <[?:{1}=GROBirth]{tab*19}{space}> <[?:{1}=GRODeath]{tab*20}{space}> > #reset to Main tab and move the focus point to the correct field {Ctrl+Shift+tab}{Ctrl+Shift+tab} # tab to relevant focus point for data entry [lib.SetFocusOnEvent:{1}] #{slow} [=:End:SetFlag] </pre>	<p>A1</p>

L19	[lib.SetFocusOnEvent:var.zEventType]	Called by
	<pre> [=:Start:SetFocusOnEvent] # # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # v 1.00 updated 6 Jan 2023 # v 1.01 updated 13 Aug 2023 changed to parameter input # v 1.02 updated 4 Sep 2023 added marriage Banns and Contract tabs # # usage : [lib.SetFocusOnEvent:var.zEventType] # only necessary to navigate my Property box and standard facts on the Property Box # tab to relevant focus point for data entry, starting on Indi Name field < <[?:{1}=Birth]{tab*4}> <[?:{1}=CivRegBirth]{tab*4}> <[?:{1}=GROBirth]{tab*4}> <[?:{1}=Baptism]{tab*6}> <[?:{1}=Marriage]{tab*26}> <[?:{1}=Marriage Banns]{tab*26}> <[?:{1}=Marriage Licence]{tab*26}> <[?:{1}=Marriage Contract]{tab*26}> <[?:{1}=CivRegMarriage]{tab*26}> <[?:{1}=Divorce]{tab*28}{down}> <[?:{1}=Death]{tab*8}> <[?:{1}=CivRegDeath]{tab*8}> <[?:{1}=GRODeath]{tab*8}> <[?:{1}=Burial]{tab*10}> > [=:End:SetFocusOnEvent] </pre>	A1 L18

L20	[lib.SetKeywords:var.zEventType]	Called by
	<pre> [=:Start:SetFocusOnEvent] # # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # v 1.00 updated 6 Jan 2023 # v 1.01 updated 13 Aug 2023 changed to parameter input # v 1.02 updated 4 Sep 2023 added marriage Banns and Contract tabs # # usage : [lib.SetFocusOnEvent:var.zEventType] # only necessary to navigate my Property box and standard facts on the Property Box # tab to relevant focus point for data entry, starting on Indi Name field < <[?:{1}=Birth]{tab*4}> <[?:{1}=CivRegBirth]{tab*4}> <[?:{1}=GROBirth]{tab*4}> <[?:{1}=Baptism]{tab*6}> <[?:{1}=Marriage]{tab*26}> <[?:{1}=Marriage Banns]{tab*26}> <[?:{1}=Marriage Licence]{tab*26}> <[?:{1}=Marriage Contract]{tab*26}> <[?:{1}=CivRegMarriage]{tab*26}> <[?:{1}=Divorce]{tab*28}{down}> <[?:{1}=Death]{tab*8}> <[?:{1}=CivRegDeath]{tab*8}> <[?:{1}=GRODeath]{tab*8}> <[?:{1}=Burial]{tab*10}> > [=:End:SetFocusOnEvent] </pre>	A8

L21	<pre> [lib.WriteCitation:var.zEventType] [=:Start:WriteCitation] # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # v2.00 updated 29 No 2023 Initial version split per Services # this template defines the Citation Text from Source entry for each collection type # ensures you are using the same template of info each time # # *** parameter driven by var.zEventType set up in InitVars **** # usage [lib.WriteCitation:var.zEventType] # each of the sections per service are effectively determining the output data in a consistent # uniform method, or creating a template for that source/citation. # branch depending on Service # change the running speed to {fast} or {slow} {fast} ##### Ancestry <[?:o.Service=Ancestry] [lib.WriteCitationANC:var.zEventType] > ##### FamilySearch <[?:o.Service=FamilySearch] [lib.WriteCitationFS:var.zEventType] > ##### FindMyPast <[?:o.Service=Findmypast] [lib.WriteCitationFMP:var.zEventType] > ##### FreeReg <[?:o.Service=FreeReg] [lib.WriteCitationFRG:var.zEventType] > ##### Find A Grave <[?:o.Service=Find a Grave] [lib.WriteCitationFAG:var.zEventType] > #----- # now add the common items at the end of the citation text # open the Rich Text editor {Ctrl+space}{500} #go to end of existing text and next line {Ctrl+End}{enter}{250} [lib.AddRecordLinktoTFS:var.zRecURL:var.zURLhrefdesc]{tab}{enter} {Ctrl+End}{enter}{250} <[=:var.zImageURL:[Image Page URL:split:&parent:1]] [lib.AddImageLinktoTFS:var.zImageURL:var.zImagehrefdesc]{tab}{enter}> [=:end:WriteCitation] </pre>	<p>Called by</p> <p>A1 A2 A3</p>
-----	--	--

L22	[lib.WriteCitationANC:var.zEventType]	Called by
	<pre> [=:Start:WriteCitationANC] # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # this template defines the Citation Text from Source entry for each collection type # ensures you are using the same template of info each time # # 2.00 29 Nov 2023 initial split from WriteCitation and corrections! # [=:begin:ancestry service] # tidy up the image's url [==:var.zImageURL:[Image Page URL:split:?use:1]] # Write out the common lines for the Service that will appear as the first part of the TFS <[var.zPublisher][Collection ID]{enter}> <[var.zSource]{enter}> <[var.zCitation]{enter}> <[?:Source.Reference]Reference Number: [Source.Reference]{enter}> <[?:Register Type]Register Type: [Register Type]{enter}> <[?:var.zEventType]Record Type : [var.zEventType]{enter}> #branch on var.zEventType {1} #----- Birth <[?:{1}=Birth] Birth Date: [var.zEventdate]{enter} Birth Place: [var.zEventplace]{enter} <[?:var.zParish!=.]Parish: [var.zParish]{enter}> <[?:var.zDenomination!=.]Denomination: [var.zDenomination]{enter}> Name: [Name]{enter} <[?:var.zGender!=.]Gender: [var.zGender]{enter}> Father: [Father]{enter} Mother: [Mother]{enter} > #----- Civil Registration Birth <[?:{1}=CivRegBirth] Name: [Name]{enter} Registration Quarter:[var.zEventdate]{enter} Registration District:[var.zEventplace]{enter} <Volume no: [Volume Number] Page: [Page number]{enter}> <Volume no: [Volume]{enter}> <Page: [Page]{enter}> <Mother's maiden name: [Mother's Maiden Name]{enter}> > #----- Baptism <[?:{1}=Baptism] <[?:var.zFHLfilm]FHL Film Number: [var.zFHLfilm]{enter}> <[?:var.zBirthdate]Birth Date: [var.zBirthdate]{enter}> <[?:var.zbaptismage]Baptism Age: [var.zBaptismage]{enter}> Baptism Date: [var.zEventdate]{enter} </pre>	L21

```

Baptism Place: [var.zEventplace]{enter}
<[?:var.zParish!=.]Parish [var.zParish]{enter}>
<[?:var.zDenomination]Religion: [var.zDenomination]{enter}>
Name: [Name]{enter}
<[?:var.zGender]Gender: [var.zGender]{enter}>
<[?:Father]Father: [Father]{enter}>
<[?:Mother]Mother: [Mother]{enter}>
>
#----- Christening
<[?:{1}=Christening]
# v1.12 changed Birth date to Christening Date
Christening Date: [var.zEventdate]{enter}
Christening Place: [var.zEventplace]{enter}
<[?:var.zParish!=.]Parish [var.zParish]{enter}>
<[?:var.zDenomination!=.]Religion: [var.zDenomination]{enter}>
Name: [Name]{enter}
<[?:var.zGender!=.]Gender: [var.zGender]{enter}>
Father: [Father]{enter}
Mother: [Mother]{enter}
>
#----- Marriage
<[?:{1}/Marriage/]
Marriage Date: [var.zEventdate]{enter}
Marriage Place: [var.zEventplace]{enter}
<[?:var.zParish]Parish [var.zParish]{enter}>
Name : [Name]{enter}
<[?:var.zMarriageage]Marriage Age: [var.zMarriageage]{enter}>
<[?:var.zMarriagestatus]Marriage Status: [var.zMarriagestatus]{enter}>
Spouse : [Spouse]{enter}
>
#----- Civil Registration Marriage
<[?:{1}=CivRegMarriage]
Name: [Name]{enter}
Registration Quarter:[Registration Date]{enter}
Registration District:[Registration district] RegDist, [Inferred County], England{enter}
<Volume no: [Volume Number] Page: [Page number]{enter}>
<Volume no: [Volume]{enter}>
<Page: [Page]{enter}>
<Spouse: [Spouse]{enter}>
<Other records: [Other Records]>
>
#----- Death
<[?:{1}=Death]
<Name: [Name]{enter}>
<Age at Death: [Age]{enter}>
Death Date: [var.zEventdate]{enter}
Death Place: [var.zEventplace]{enter}
>
#----- CivRegDeath
<[?:{1}=CivRegDeath]
<Name: [Name]{enter}>
<Age at Death: [Age]{enter}>

```

<p>Death Date: [var.zEventdate]{enter} Death Place: [var.zEventplace]{enter} Registration District:[Death Registration Place]{enter} <Volume no: [Volume Number] Page: [Page number]{enter}> <Volume no: [Volume]{enter}> <Page: [Page]{enter}> > #----- Burial <[?:{1}=Burial] Name: [Name]{enter} <Age at Death: [Age]{enter}> Burial date: [var.zEventdate]{enter} Burial Place: [var.zEventplace]{enter} <[?:var.zParish!=.]Parish [var.zParish]{enter}> <Cemetery: [Cemetery] , Section:[Cemetery Section], grave: [Grave Number]{enter}> <Internment Number: [Interment Number]{enter}> <Father: [Father]{enter}> <Mother: [Mother]{enter}> > #----- Probate # v1.09 added 3 Oct 2023 <[?:{1}=Probate] # prompt for values seen on the probate record that were not extracted by ORA <[?:var.LastResidence=** Enter Their Last Residence **][=:var.LastResidence]> <[?:var.ProbateValue=** Enter The Probate Value from Image **][=:var.ProbateValue]> <[?:var.Beneficiary=** Enter the Beneficiary(s) from Image **][=:var.Beneficiary]> Name: [Name]{enter} <Death Date: [Death Date]{enter}> <[?:var.LastResidence]Last Residence was [var.LastResidence]{enter}> <Death Place: [Death Place]{enter}> Probate date: [var.zEventdate]{enter} Probate Registry: [var.zEventplace]{enter} <[?:var.ProbateValue]Probate Value: [var.ProbateValue]{enter}> <[?:var.Beneficiary]Probate beneficiary or other names: [var.Beneficiary]{enter}> > # end of Service [=:End:WriteCitationANC]</p>	

L23	[lib.WriteCitationFAG:var.zEventType]	Called by
	<pre> # [lib.WriteCitationFAG # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # this template defines the Citation Text from Source entry for each collection type # ensures you are using the same template of info each time # # 2.00 29 Nov 2023 initial split from original # [=:begin:findagrave service] Record ID: [var.zRecordID]{enter} [Source.Title]{enter} [Source.Citation]{enter} Event Type: [var.zEventType]{enter} #----- Burial <[?:{1}=Burial] Burial date: [var.zEventdate]{enter} Burial Place: [var.zEventplace]{enter} Name: [FullName]{enter} <Age at Death: [var.AgeAtDeath]{enter}> <Last Residence: [var.LastResidence]{enter}> <Spouses: [Spouses]{enter}> > [=:end:findagrave service] </pre>	L21

L24	[lib.WriteCitationFMP:var.zEventType]	Called by
	<pre> #Findmypast [=:Start:WriteCitationFMP] # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # this template defines the Citation Text from Source entry for each collection type # ensures you are using the same template of info each time # # v1.01 29November 2023 original split from WriteCitation # Record ID: [Record ID]{enter} <Volume: [Volume]{enter}> Record Set: [Record set]{enter} Category: [Category]{enter} Subcategory: [Subcategory]{enter} Collections from: [Collections from]{enter} #<[Denomination] [Document type] page [Page]{enter}> <Register type : [var.zRegistertype]{enter}> <Year range : [var.zRegyears]{enter}> #<[Record type], [Record's year range][Year range]{enter}> #<Page: [Page]{enter}> <Archive: [Archive]{enter}> <Archive reference: [Archive reference]{enter}> [==:var.zImageURL:[Image Page URL:split:&parent:1]] Event Type: [var.zEventType]{enter} #branch on var.zEventType < #----- Birth <[?:{1}=Birth] Name: [First name(s)] [Last name]{enter} Birth Year: [var.zBirthyear]{enter} <[?:var.zGender!=.]Gender: [var.zGender]{enter}> Father: [Father's first name(s)] [Father's last name]{enter} Mother: [Mother's first name(s)] [Mother's last name] > # #----- Civil Registration Birth <[?:{1}=CivRegBirth] Name: [First name(s)] [Last name]{enter} <Gender: [var.zGender]{enter}> Birth Date: [var.zEventdate]{enter} <Registration year: [Registration year]{enter}> <Registration year: [Birth year]{enter}> Registration Place: <[Organisation] Offices,> [var.zEventplace]{enter} Volume: [Volume] <Page: [Page]> <Line: [Line number]>{enter} <Mother's maiden name: [Mother's maiden name]{enter}> > # </pre>	L21

```

|
#----- Baptism
<[?:{1}=Baptism]
Name: [First name(s)] [Last name]{enter}
<Birth Date: [var.zBirthdate]{enter}>
Baptism Date: [var.zEventdate]{enter}
Baptism Place: [var.zEventplace]{enter}
<Church address: [Parish:split:,:1], [Church address], [Parish:split:,:2], [var.zCounty],
[var.zCountry]{enter}>
<[?:var.zDenomination!.=.]Denomination: [var.zDenomination]{enter}>
<[?:var.zGender]Gender: [var.zGender]{enter}>
<Father: [Father's first name(s)] <[Father's last name] | [Last name]>{enter}>
<Father's Occupation: [Father's Occupation]{enter}>
<Mother: [Mother's first name(s)] <[Mother's last name] | [Last name]>{enter}>
<[?:Address=MEOT][=:Address:Mile End Old Town, Middlesex, England]>
<Their residence: [Address]>
>
#
|
#----- Christening
<[?:{1}=Christening]
Name: [First name(s)] [Last name]{enter}
Gender: [var.zGender]{enter}
Year: [Year]{enter}
<Father: [Father's first name(s)] <[Father's last name] | [Last name]>{enter}>
<Mother: [Mother's first name(s)]{enter}>
>
#
|
#----- Marriage
#check if the word Marriage is the first in the event type parameter
#[==:var.zmarrtype:[{1}:split: :1]]
<[?:{1}=Marriage]
Marriage Date: [var.zEventdate]{enter}
Marriage Place: [var.zEventplace]{enter}
Name: [First name(s)] [Last name]{enter}
<[?:var.zGender]Gender: [var.zGender]{enter}>
<Marital Status: [Marital status]{enter}>
<[?:var.zMarriageage]Age: [var.zMarriageage]{enter}>
<Occupation: [Occupation]{enter}>
<Residence: [Residence]{enter}>
<Father's name: [Father's name] a [Father's occupation]{enter}>

<<Spouse: [Spouse's first name(s)] [Spouse's last name]{enter}> | <Spouse:
[SpousesName]{enter}>>
<Spouse's Status: <[Spouse's condition] | [Spouse's marital status]>; < Age: [Spouse's
age]>{enter}>
<Spouse's occupation: [Spouse's occupation]{enter}>
<Spouse's residence:[Spouse's residence]{enter}>
<Spouse's father's name: [Spouse's father's name] a [Spouse's father's
occupation]{enter}>
<Marriage by: [var.zLicencebanns]{enter}>

```

```

<Groom's parish: [var.zGparish]{enter}>
<Bride's parish: [var.zBparish]{enter}>
<[?:var.zDenomination]Religion: [var.zDenomination]{enter}>
<<Witnesses: [First witness]><, [Second witness]>{enter}>
<<Witnesses: [Witness 1]><, [Witness 2]>{enter}>
>
#
|
#----- Marriage Banns
<[?:{1}=Marriage Banns]
Banns Date: [var.zEventdate]{enter}
Banns Place: [var.zEventplace]{enter}
Name: [First name(s)] [Last name]{enter}
<[?:var.zGender]Gender: [var.zGender]{enter}>
<[?:var.zMarriagestatus]Marital Status: [var.zMarriagestatus]{enter}>
<[?:var.zMarriageage]Age: [var.zMarriageage]{enter}>
<Residence: [Groom's residence]{enter}>
<Residence: [Residence]{enter}>
<Spouse: [Spouse's first name(s)] [Spouse's last name]{enter}>
<Spouse: [SpousesName]{enter}>
<Spouse'e residence:[Bride's residence]{enter}>
<Groom's parish: [var.zGparish]{enter}>
<Bride's parish: [var.zBparish]{enter}>
<[?:var.zDenomination]Religion: [var.zDenomination]{enter}>
<Witnesses: [First witness], [Second witness]{enter}>
<Witnesses: [Witness 1], [Witness 2]{enter}>
>
#
|
#----- Marriage Licence
<[?:{1}=Marriage Licence]
Licence Date: [var.zEventdate]{enter}
Place: [var.zEventplace]{enter}
Name: [First name(s)] [Last name]{enter}
<[?:var.zGender]Gender: [var.zGender]{enter}>
<[?:var.zMarriagestatus]Marital Status: [var.zMarriagestatus]{enter}>
<[?:Marital status]Marital Status: [?:Marital status=B]Bachelor{enter}>
<Birth year: [Birth year] ~ Age : [Age]{enter}>
<[?:var.zMarriageage]Age: [var.zMarriageage]{enter}>
<Residence: [Groom's residence]{enter}>
<Residence: [Residence]{enter}>
<Spouse: [Spouse's first name(s)] [Spouse's last name]{enter}>
<Spouse: [SpousesName]{enter}>
<Marital Status: [?:Spouse's marital status=S]Spinster{enter}>
<Birth year: [Spouse's birth year] ~ Age : [Spouse's age]{enter}>
<Spouse'e residence:[Bride's residence]{enter}>
<Groom's parish: [var.zGparish]{enter}>
<Bride's parish: [var.zBparish]{enter}>
<[?:var.zDenomination]Religion: [var.zDenomination]{enter}>
<Witnesses: [First witness], [Second witness]{enter}>
<Witnesses: [Witness 1], [Witness 2]{enter}>
>

```



```

#
|
#----- Civil Reg Marriage
# added v1.13 26 Oct 2023
<[?:{1}=CivRegMarriage]
Name: [First name(s)] [Last name]{enter}
<Marriage Date : [var.zEventdate]{enter}>
<General Registration Office (GRO) Reference:{enter}
[Marriage Date] [District] registration district in [County], [Country] volume [Volume]
page [Page Number]
{enter}>
>
#
|
#----- Civil Reg Death
<[?:{1}=CivRegDeath]
Name: [First name(s)] [Last name]{enter}
<Gender: [Gender]{enter}>
<Birth year : [Birth year], age at death : [Age]{enter}>
<Residence: [Residence] [Postcode sector]>
<General Registration Office (GRO) Reference:{enter}
<[Death Date] [District] registration district in [County], [Country] volume [Volume]
page [Page]>
<Year:[Death year] Postcode: [Postcode sector] [County], [Country]{enter}>>
>
|
#----- Burial
<[?:{1}=Burial]
Name : [First name(s)] [Last name]{enter}
<[?Birth year]Birth Year: [Birth year]{enter}>
<[?Death year]Death Year: [Death year]{enter}>
<[?Burial year]Burial year: [Burial year]{enter}>
<[?Burial date]Burial date: [var.zBurialdate]{enter}>
Burial Place: [var.zBurialplace]{enter}
<Age at death: [Age at death]{enter}>
<[?:var.zDenomination]Religion: [var.zDenomination]{enter}>
<[?:var.zGender]Gender: [var.zGender]{enter}>
<Relative's relationship:[Relative's relationship] [Relative's name]>
<Parent: [Father's first name(s)] [Father's last name]{enter}>
<Marital Status: [Marital status]{enter}>
<Spouse: [Spouse's first name(s)] [Spouse's last name]{enter}>
>
|
#-----Probate
<[?:{1}=Probate]
# prompt for valuess seen on the probate record that were not extracted by ORA
<[?:var.LastResidence=** Enter Their Last Residence **][==:var.LastResidence]>
<[?:var.ProbateValue=** Enter The Probate Value from Image **][==:var.ProbateValue]>
<[?:var.Beneficiary=** Enter the Beneficiary(s) from Image **][==:var.Beneficiary]>
Name: [First name(s)] [Last name]{enter}
<Death Date: [Death Date]{enter}>
<[?:var.LastResidence]Last Residence was [var.LastResidence]{enter}>

```

	<Death Place: [Death Place]{enter}> Probate date: [var.zEventdate]{enter} Probate Registry: [var.zEventplace]{enter} <[?:var.ProbateValue]Probate Value: [var.ProbateValue]{enter}> <[?:var.Beneficiary]Probate beneficiary or other names: [var.Beneficiary]{enter}> > > [=:endof:findmypast service] #end of Service	

L25	[lib.WriteCitationFRG:var.zEventType]	Called by
	<pre> [=:Start:WriteCitationFRG] # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # this template defines the Citation Text from Source entry for each collection type # ensures you are using the same template of info each time # # v1.01 29November 2023 original split from WriteCitation # [=:begin:freereg service] Record ID: [var.zRecordID]{enter} <Register type : [var.zRegistertype]{enter}> <Register Entry Number: [Register entry number]{enter}> Event Type: [var.zEventType]{enter} #----- Baptism #branch on var.zEventType <[?:{1}=Baptism] Baptism Date: [var.zEventdate]{enter} Place: <[var.zChurch], >[var.zEventplace]{enter} Name: [Person forename] <[Father surname:initialCapital]>{enter} <[?:var.zGender!=.]Gender: [var.zGender]{enter}> <Father: [Father forename] [Father surname:initialCapital]{enter}> <Mother: [Mother forename] <[Mother Surname]>{enter}> <Their abode: [Person abode]{enter}> <Father's Occupation: [Father Occupation]{enter}> <Notes : [Notes]{enter}> <Transcribed by: [Transcribed by]{enter}> > #----- Marriage <[?:{1}=Marriage] Marriage Date: [var.zEventdate]{enter} Marriage Place: [var.zChurch], [var.zEventplace]{enter} Name: [Groom forename] [Groom surname:initialCapital]{enter} <Age: [Groom Age]{enter}> <Marital Status: [Groom condition]{enter}> <His Occupation: [Groom occupation]{enter}> #<Residence: [Residence]{enter}> <Groom abode: [Groom Abode]{enter}> <Groom parish: [Groom parish]{enter}> Bride: [Bride forename] [Bride surname:initialcapital]{enter} <Age: [Bride age]{enter}> <Bride's Status: [Bride condition]{enter}> <Bride abode: [Bride Abode]{enter}> <Bride parish: [Bride parish]{enter}> <Marriage by: [var.zLicencebanns]{enter}> </pre>	L21

	<p><Groom's father: [Groom father forename] [Groom father surname:initialCapital]{enter}> <His Occupation: [Groom father occupation]{enter}> <Bride's father: [Bride father forename] [Bride father surname:initialCapital]{enter}> <His Occupation: [Bride father occupation]{enter}> <Denomination: [var.Denomination]{enter}></p> <p><Witnesses: [Witness1:capitalize], [Witness2:capitalize]{enter}> <Transcribed by: [Transcribed by]{enter}> ></p> <p>#----- Burial</p> <p><[?:{1}=Burial]</p> <p>Burial Date: [var.zEventdate]{enter} Burial place: [var.zEventplace]{enter} Name: [Burial person forename] <[Burial person surname:initialCapital]>{enter} <Age at death: [Person Age]{enter}> <Burial Person's abode: [Burial person abode]{enter}> <Transcribed by: [Transcribed by]{enter}> <Notes: [Notes]> ></p> <p>[=:end:freereg service]</p>	

L26	[lib.WriteCitationFS:var.zEventType]	Called by
	<pre> [=:Start:WriteCitationFS] # ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # this template defines the Citation Text from Source entry for each collection type # ensures you are using the same template of info each time # [=:begin:family search service] [Source.Collection]< Page: [Page Number]>{enter} <[Source.Reference]{enter}> <[Source.Citation]{enter}> <FHL Film Number(s): [Source.Digital Folder Number]{enter}> <Microfilm Number: [Source.Microfilm Number]{enter}> <Indexing batch: [Source.Indexing Project (Batch) Number]{enter}> <Indexing batch: [Source.Indexing Batch]{enter}> <Image number: [Source.Image Number]{enter}> <Entry Number: [Entry Number], Page: [Page]{enter}> Event Type: [var.zEventType]{enter} [==:var.zImageURL:[Image Page Url:split:&person:1]] #branch on var.zEventType #----- Birth <[?:{1}=Birth] #need info for birth here ***** {enter} > #----- Baptism <[?:{1}=Baptism] Name: [Name]{enter} <[?:var.zBirthdate!]=.]Birth Date: [var.zBirthdate]{enter}> Baptism Date: [var.zEventdate]{enter} Baptism Place: [var.zEventplace]{enter} <[?:var.zDenomination]Religion: [var.zDenomination]{enter}> <[?:var.zGender]Gender: [var.zGender]{enter}> <Father: <[Father's Name] [Father Name]>{enter}> <Mother: <[Mother's Name] [Mother Name]> > > #----- Christening <[?:{1}=Christening] Name: [Name]{enter} <[?Birth Date]Birth Date: [var.zBirthdate]{enter}> Christening Date: [var.zEventdate]{enter} Christening Place: [var.zEventplace]{enter} <[?:var.zDenomination]Religion: [var.zDenomination]{enter}> <[?:var.zGender]Gender: [var.zGender]{enter}> <Father: <[Father's Name] [Father Name]>{enter}> <Mother: <[Mother's Name] [Mother Name]>{enter}> > </pre>	L21

```
#----- Marriage
<[?:{1}=Marriage]
Name: [Name]<, Gender: [Sex]>{enter}
<Age: [Age]> <Estimated Birth year: [Birth Year (Estimated)]{enter}>
Spouse's Name: [Spouse's Name]<, Gender:[Spouse's Sex]>{enter}
<Age: [Spouse's Age]> <Estimated Birth year: [Spouse's Birth Year (Estimated)]{enter}>
Date: [var.zEventdate]{enter}
Place: [var.zEventplace]{enter}
<Denomination: [var.zDenomination]{enter}>
>
```

```
#----- Death
<[?:{1}=Death]
Name : [Name]<, Gender: [Sex]>{enter}
<Age: [Age]> <Estimated Birth year: [Birth Year (Estimated)]{enter}>
Death Date: [var.zEventdate]{enter}
Place: [var.zEventplace]{enter}
<Father: <[Father's Name] | [Father Name]>{enter}>
<Mother: <[Mother's Name] | [Mother Name]>{enter}>
>
```

```
#----- Burial
<[?:{1}=Burial]
#need info for burial here*****
{enter}
>
```

```
#----- Probate
<[?:{1}=Probate]
Name : [Name]<, Gender: [Sex]>{enter}
<Age: [Age]>
<Estimated Birth year: [Birth Year (Estimated)]{enter}>
<Birth Place: [Birth Place]{enter}>
<Death Date: [var.zEventdate]{enter}>
<Death Place: [var.zEventplace]{enter}>
<Probate Date: [var.zProbatedate]{enter}>
<Probate Place: [var.zProbateplace]{enter}>
<Father: <[Father's Name] | [Father Name]>{enter}>
<Mother: <[Mother's Name] | [Mother Name]>{enter}>
>
```

```
[=:endof:family search service]
# end of Service
```

L27	[lib.WriteFactData:var.zEventType]	Called by
	<pre> [=:Start:WriteFactData] ## ***** This is still a work in progress and under test ***** # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # v 1.00 created 13 Aug 2023 # v 1.01 updated 4 Sep 2023 added marriage Banns and Contract test # v 1.02 updated 6 Sep 2023 added christening # v 1.03 updated 17 Sep 2023 added test for marriage type and commented out writing those facts # v 1.04 updated 25 Sep 2023 changed all [Church] to var.zChurch] # v 1.05 updated 3 Oct 2023 added Ancestry Probate section # v 1.06 updated 2 Nov 2023 corrected all places to var.zEventplace (thanks, Bev) # v 1.07 updated 4 Nov 2023 added Find a Grave prompts to Burial section # v 2.00 updated 29 Nov 2023 updated to Parent autotype # usage : [lib.WriteFactData:var.zEventType] # # if adding a new fact check if an Event{enter} or Attribute{enter}{enter} ? #----- Birth <[:{1}=Birth][var.zEventdate]{tab}<[var.zChurch], >[var.zEventplace]> <[:{1}=GROBirth][var.zEventdate]{tab}[var.zEventplace]> <[:{1}=CivRegBirth][var.zEventdate]{tab}[var.zEventplace]> #----- Baptism <[:{1}=Baptism][var.zEventdate]{tab}<[var.zChurch], >[var.zEventplace]> #----- Christening <[:{1}=Christening] <{ctrl+tab}{ctrl+l}{{1}}{enter}{tab}[var.zEventdate]{tab}{tab}<[var.zChurch], >[var.zEventplace]>> #----- Marriage <[:{1}=Marriage][var.zEventdate]{tab}<[var.zChurch], >[var.zEventplace]> <[:{1}=CivRegMarriage][var.zEventdate]{tab}[var.zEventplace]> #----- Marriage Banns <[:{1}=Marriage Banns] {ctrl+tab}{ctrl+l}{{1}}{enter}{enter}{tab}[var.zEventdate]{tab}{tab}<[var.zChurch], >[var.zEventplace] > #----- Marriage Licence <[:{1}=Marriage Licence] {ctrl+tab}{ctrl+l}{{1}}{enter}{enter}{tab}[var.zEventdate]{tab}{tab}<[var.zChurch], >[var.zEventplace] > #----- Death <[:{1}=Death][var.zEventdate]{tab}<[var.zChurch], >[var.zEventplace]> <[:{1}=CivRegDeath][var.zEventdate]{tab}[var.zEventplace]> <[:{1}=GRODeath][var.zEventdate]{tab}[var.zEventplace]> #----- Burial <[:o.Service=Find a Grave] </pre>	A1

	<pre> < # prompt for values seen on the memorial record that were not extracted by ORA <[?:var.LastResidence=** Enter Their Last Residence **][=:var.LastResidence]> <[?:var.AgeAtDeath=** Enter the Age at death **][=:var.AgeAtDeath]> <[?:var.Burialdate=** Enter the Burial date **][=:var.zEventdate]> > > <[?:{1}=Burial][var.zEventdate]{tab}<[var.zChurch], >[var.zEventplace]> #----- Probate <[?:{1}=Probate] <{ctrl+tab}{ctrl+l}{{1}}{enter}{tab}[var.zEventdate]{tab}[var.zEventplace]>> [=:End:WriteFactData] </pre>	

L28	[lib.WriteImageToCitation:var.zEventType]	Called by
	<pre> [=:Start:WriteImageToCitation] # lib to add image to citations # author : Paul Tanner-Tremaine # www.fhora.tantrem.com # # v 1.00 created 18 Sep 2023 # v 1.01 updated 21 Sep 2023 fixed the spacings and slashes and added the year # v 1.02 updated 29 Sep 2023 updates to set name section # v 1.03 updated 16 Oct 2023 changed line var.ipfolder to [fhproject] instead of MyFamily and ar.p2 and var.p5 categories to suit birth death and probate, etc # v 1.04 updated 18 Oct 2023 fixed to allow Marriage Banns # v 2.00 updated 20 Nov 2023 Parent Autotype version. # # usage [lib.WriteImageToCitation:var.zEventType] # starting focus on the Media tab #set up vars [=:ipath:E:\\\\My Drive\\\\Family Historian Projects\\\\] [=:ipfolder:[fhproject]] [=:idfolder:.fh_data] [=:imfolder:\\\\Media\\\\] [=:zifullpath:[ipath:append:[ipfolder:append:\\\\:append:[ipfolder:append:[idfolder:app end:[imfolder]]]]]] # set standard path [=:var.p1:[zifullpath]] #set final folder <[?:{1}=Baptism][=:var.p2:baptisms\\\\]> <[?:{1}=Christening][=:var.p2:baptisms\\\\]> <[?:{1}=Birth][=:var.p2:births\\\\]> <[?:{1}=CivRegBirth][=:var.p2:births\\\\]> <[?:{1}=Marriage][=:var.p2:marriages\\\\]> <[?:{1}=Marriage Banns][=:var.p2:marriages\\\\]> <[?:{1}=Marriage Contract][=:var.p2:marriages\\\\]> <[?:{1}=CivRegMarriage][=:var.p2:marriages\\\\]> <[?:{1}=Death][=:var.p2:deathcerts\\\\]> <[?:{1}=CivRegDeath][=:var.p2:deathcerts\\\\]> <[?:{1}=Burial][=:var.p2:burials\\\\]> <[?:{1}=Probate][=:var.p2:probates\\\\]> #set the name format < <<[?:Name][=:zGfullname:[Name:nameSurname:append:, :append:[Name:nameGiven]]]> <[?:Last name][=:zGfullname:[Last name:append:, :append:[First name(s)]]]>> [=:var.p3:[zGfullname:append: :]] #if a civil registration we may not know the name of the spouse < </pre>	A7

<pre> [?:{1}=CivRegMarriage] > #if a marriage add the bride < [?:{1}/Marriage/] < <[?:Spouse][=:zBfullname:[Spouse:append: :]]> <[?:Spouse's Name][=:zBfullname:[Spouse's Name:append: :]]> <[?:Spouse's last name][=:zBfullname:[Spouse's first name(s):append: :append:[Spouse's last name:append: :]]]> > [=:var.p3:[zGfullname:append: and :append:[zBfullname]]] > # end of set name > # set year [=:var.p4:[var.zEventdate:dateYear]] # set category <[?:{1}=Baptism][=var.p5: bapt]> <[?:{1}=Christening][=var.p5: bapt]> <[?:{1}=Birth][=var.p5: birth]> <[?:{1}=CivRegBirth][=var.p5: birth]> <[?:{1}=Marriage][=var.p5: marr]> <[?:{1}=Marriage Banns][=var.p5: banns]> <[?:{1}=Marriage Contract][=var.p5: cont]> <[?:{1}=CivRegMarriage][=var.p5: marr]> <[?:{1}=Death][=var.p5: death]> <[?:{1}=CivRegDeath][=var.p5: death]> <[?:{1}=Burial][=var.p5: burial]> <[?:{1}=Probate][=var.p5: probate]> #add filetype [=:var.p6:.jpg] #or manually change to the Media tab before running AutoType Template 7 {ctrl+l}{down*2}{right}{enter} [var.p1][var.p2][var.p3][var.p4][var.p5][var.p6] {500} {alt+O} [=:end:WriteImageToCitation] </pre>	

L29	[lib.WriteSource:var.zSource]	A1 A2 A3
	<pre> [=:Start:WriteSource] # author : Paul Tanner-Tremaine # http://www.fhora.tantrem.com # 1.00 updated Jul 2022 initial # 1.02 updated 8 Aug 2023 added calleing by var.zSource from InitVars # 1.03 updated 5 Nov 2023 added short title and individual tabs per field # 1.04 updated 25 Nov 2023 overwrite old titles with latest # # *** parameter driven *** var.zSource is set up in InitVars lib # usage : [lib.WriteSource:var.zSource] # reliant on these variables being set in the calling templates # Repository, Censusyear, Censusdate, Assessment for Census records {slow} # switch to Source/Citation pane and select Cite Existing Source {250} #{Ctrl+U}{250}{Ctrl+I}{down}{enter}{Ctrl+D} {Ctrl+U}{250}{Ctrl+I}{down}{enter}{Ctrl+D} # [{1}] {500} {f6}{space}{enter} # set auto type speed to fast {fast} # tab over Source fields to the Citation fields.... #starts on Title. #[Collection Name] {ctrl+a}{del}[var.zSource] #Tab to generic type {tab} #Tab to author {tab} #Tab to custom id {tab} #Tab to short title {tab} [Collection ID] #Tab to Publication {tab} #Tab to repoaitory {tab} #Tab to source tfs {tab} #Tab to entry Date {tab} #Set the Entry date [Page.Access Date] {tab} #Set Assessment # assessment value either entered or preset [lib.SetAssessment] {tab} </pre>	

	#set the Where Within [URL] # [:End:WriteSource]	